Epidemiol. Infect. (2000), **124**, 607–612. Printed in the United Kingdom © 2000 Cambridge University Press

Index of Authors

Abebe, A. *see* **Cutts, F. T.**

Alberdi, M. P., Walker, A. R. and Urquhart, K. A. Field evidence that roe deer (*Capreolus capreolus*) are a natural host for *Ehrlichia phagocytophila*, 315

Alpers, M. P. *see* **Stirnadel, H. A.**

Alterkruse, S. F., Bishop, R. D., Baldy, L. M., Thompson, S. G., Wilson, S. A., Ray, B. J. and Griffin, P. M. Vibrio gastroenteritis in the Gulf of Mexico region: the role of raw oysters, 489

Alvarez, M. *see* **Espi, A.**

Ammer, J. *see* **Hauri, A. M.**

Amyes, S. G. B. *see* **Shanahan, P. M. A.**

Anderson, D., Anderson, V., Pentland, L., Sawyer, S., Starr, M. and Johnson, P. D. R. Attentional function in secondary school students receiving isoniazid prophylaxis for tuberculosis infection, 97

Anderson, V. *see* **Anderson, D.**

Arens, M. *see* **Harris, R. J.**

Arpin, C., Rogues, A. M., Kabouche, S., Boulard, G., Quesnel, C., Gachie, J. P. and Quentin, C. Prospective survey of colonization and infection caused by SHV-4 producing *Klebsiella pneumoniae* in a neurosurgical intensive care unit, 401

Aszkenasy, O. M. A community outbreak of hepatitis A in a religious community in Indiana: failure of immune serum globulin to prevent the spread of infection, 309

Balaji, V. *see* **Jesudason, M. V.**

Balakrish Nair, G. *see* **Garg, P.**

Baldy, L. M. *see* **Alterkruse, S. F.**

Barousch, W. *see* **Stauffer, F.**

Barrero, P. R. *see* **Bilkis, M. D.**

Barrett, T. J. *see* **Hilborn, E. D.**

Bartelds, A. I. M. *see* **Fleming, D. M.**

Bastos, A. D. S., Boshoff, C. I., Keet, D. F., Bengis, R. G. and Thomson, G. R. Natural transmission of foot-and-mouth disease virus between African buffalo (*Syncerus caffer*) and impala (*Aepyceros melampus*) in the Kruger National Park, South Africa, 591

Basu, I. *see* **Garg, P.**

Baxby, D. *see* **Hazel, S. M.**

Beaugerie, L. *see* **Yazdanpanah, Y.**

Bebear, C. *see* **Cousin-Allery, A.**

Beck, H.-P. *see* **Stirnadel, H. A.**

Begg, N. T. *see* **Borrow, R.**

Begon, M. *see* **Hazel, S. M.**

Bell, G. *see* **Conaty, S.**

Bengis, R. G. *see* **Bastos, A. D. S.**

Bennett, M. *see* **Hazel, S. M.**

Besser, T. E., Goldoft, M., Pritchett, L. C., Khakria, R., Hancock, D. D., Rice, D. H., Gay, J. M., Johnson, W. and Gay, C. C. Multiresistant *Salmonella* Typhimurium DT104 infections of humans and domestic animals in the Pacific Northwest of the United States, 193

Bhattacharya, S. K. *see* **Garg, P.**

Bhattacharya, T. *see* **Garg, P.**

Bilkis, M. D., Barrero, P. R. and Mistchenko, A. S. Measles resurgence in Argentina: 1997–8 outbreak, 289

Bird, P. *see* **Conaty, S.**

Bishop, R. D. *see* **Alterkruse, S. F.**

Boëlle, P. Y. *see* **Yazdanpanah, Y.**

Borrow, R., Fox, A. J., Richmond, P. C., Clark, S., Sadler, F., Findlow, J., Morris, R., Begg, N. T. and Cartwright, K. A. V. Induction of immunological memory in UK infants by a meningcoccal A/C conjugate vaccine, 427

Boshoff, C. I. *see* **Bastos, A. D. S.**

Boulard, G. *see* **Arpin, C.**

Bouvet, P. H. *see* **de Valk, H.**

Bouvet, P. *see* **Decludt, B.**

Bown, K. *see* **Hazel, S. M.**

Breña, P. P. *see* **Trallero, G.**

Brookes, S. *see* **Sarangi, J.**

Brown, R. N. *see* **Gitau, G. K.**

Bueschel, D. *see* **Garmory, H. S.**

Bundy, D. A. P. *see* **Norman, R. A.**

Butler, K. *see* **Nourse, C.**

Byrne, C. *see* **Nourse, C.**

Capucci, L. *see* **Cooke, B. D.**

Carapetis, J. R., Currie, B. J. and Mathews, J. D. Cumulative incidence of rheumatic fever in an endemic region: a guide to the susceptibility of the population? 239

Carlisle, D. *see* **Marks, P. J.**

Carman, W. F. *see* **Wilson, J. N.**

Cartter, M. L. *see* **Hilborn, E. D.**

Cartwright, K. A. V. *see* **Borrow, R.**

Cartwright, K. *see* **Sarangi, J.**

Cartwright, K. *see* **Wehner, H.**

Casa, I. *see* **Trallero, G.**

Castellanos, A. *see* **Trallero, G.**

Caugant, D. A. *see* **Hilse, R.**

Caul, E. O. *see* **Marks, P. J.**

Cavanagh, R. *see* **Hazel, S. M.**

Cerdan Malo, A. T. *see* **Chapman, P. A.**

Chakraborty, S. *see* **Garg, P.**

Chan, M. S. *see* **Norman, R. A.**

Chanter, N. *see* **Garmory, H. S.**

Chantry, J. *see* **Hazel, S. M.**

Chapman, P. A., Siddons, C. A., Cerdan Malo, A. T. and Harkin, M. A. A one year study of *Escherichia coli* O157 in raw beef and lamb products, 207

Charron, A. *see* **Cousin-Allery, A.**

Chisholm, S. A. *see* **Old, D. C.**
Clarke, A. *see* **Nourse, C.**
Clark, S. *see* **Borrow, R.**
Claus, H. *see* **Hilse, R.**
Columb, G. *see* **de Valk, H.**
Conaty, S., Bird, P., Bell, G., Kraa, E., Grohmann, G. and McAnulty, J. M. Hepatitis A in New South Wales, Australia, from consumption of oysters: the first reported outbreak, 121
Conyn-van Spaendonck, M. A. E. *see* **de Melker, H. E.**
Conyn-van Spaendonck, M. A. E. *see* **Termorshuizen, F.**
Cooke, B. D., Robinson, A. J., Merchant, J. C., Nardin, A. and Capucci, L. Use of ELISAs in field studies of rabbit haemorrhagic disease (RHD) in Australia, 563
Cousin-Allery, A., Charron, A., de Barbeyrac, B., Fremy, G., Skov Jensen, J., Renaudin, H. and Bebear, C. Molecular typing of *Mycoplasma pneumoniae* strains by PCR-based methods and pulsed-field gel electrophoresis. Application to French and Danish isolates, 103
Crichton, P. B. *see* **Old, D. C.**
Currie, B. J. *see* **Carapetis, J. R.**
Cutts, F. T., Abebe, A., Messele, T., Dejene, A., Enquselassie, F., Nigatu, W. and Nokes, D. J. Sero-epidemiology of rubella in the urban population of Addis Ababa, Ethiopia, 467

Das, P. K. *see* **Norman, R. A.**
Datta, S. *see* **Garg, P.**
Davidkin, I. *see* **Paunio, M.**
Davison, H. C., Thrusfield, M. V., Husein, A., Muharsini, S., Partoutomo, S., Rae, P. and Luckins, A. G. The occurrence of *Trypanosoma evansi* in buffaloes in Indonesia, estimated using various diagnostic tests, 163
Deakin, D. *see* **Marks, P. J.**
de Barbeyrac, B. *see* **Cousin-Allery, A.**
Decludt, B., Bouvet, P., Mariani-Kurkdjian, P., Grimont, F., Grimont, Pad., Hubert, B., Loirat, C. and the Société de Néphrologie Pédiatrique. Haemolytic uraemic syndrome and Shiga toxin-producing *Escherichia coli* infection in children in France, 215
Dejene, A. *see* **Cutts, F. T.**
de Jong, M. C. M. *see* **Nodelijk, G.**
Delarocque-Astagneau, E. *see* **de Valk, H.**
de Louvois, J. *see* **Rutter, M.**
de Melker, H. E., Nagelkerde, N. J. D. and Conyn-van Spaendonck. Non-participation in a population-based seroprevalence study of vaccine-preventable diseases, 255
de Melker, H. E. *see* **Termorshuizen, F.**
Denton, M. *see* **Wilcox, M. H.**
Dembek, Z. F. *see* **Hilborn, E. D.**
Desenclos, J. C. *see* **de Valk, H.**
Desenclos, J. C. *see* **Yazdanpanah, Y.**
de Valk, H., Delaroque-Astagneau, E., Colomb, G., Ple, S., Godard, E., Vaillant, V., Haeghebaert, S., Bouvet, P. H., Grimont, F., Grimont, P. and Desenclos, J. C. A community-wide outbreak of *Salmonella enterica* serotype Typhimurium infection associated with eating a raw milk soft cheese in France, 1
Donaldson, A. I. *see* **Sørensen, J. H.**
Dorigo-Zetsma, J. W. *see* **Termorshuizen, F.**

Echevarria, J. E. *see* **Trallero, G.**
Elmi, A. M. *see* **Nur, Y. A.**
Ehrhard, I. *see* **Hauri, A. M.**
Enquselassie, F. *see* **Cutts, F. T.**
Espi, A., Prieto, J. M., Fernandez, M. and Alvarez, M. Serological prevalence to six leptospiral serovars in cattle in Asturias (Northern Spain), 599

Fantasia, M. *see* **Scuderi, G.**
Fell, G. *see* **Hauri, A. M.**
Fernandez, M. *see* **Espi, A.**
Fey, R. E. *see* **Marks, P. J.**
Figura, N. *see* **Yamaoka, Y.**
Findlow, J. *see* **Borrow, R.**
Fiorentino, T. R. *see* **Hilborn, E. D.**
Fitzgerald, P. *see* **Wilcox, M. H.**
Flahault, A. *see* **Yazdanpanah, Y.**
Fleming, D. M., Zambon, M. and Bartelds, A. I. M. Population estimates of persons presenting to general practitioners with influenza-like illness, 1987–96: a study of the demography of influenza-like illness in sentinel practice networks in England and Wales, and in The Netherlands, 245
Frank, U. *see* **Hauri, A. M.**
Freeman, J. *see* **Wilcox, M. H.**
Freitag, S. *see* **Kist, M. J.**
Fremy, G. *see* **Cousin-Allery, A.**
French, N. P. *see* **Garmory, H. S.**
Fox, R. *see* **Borrow, R.**
Frosch, M. *see* **Hilse, R.**
Fukui, Y. *see* **Sato, K.**

Gachie, J. P. *see* **Arpin, C.**
Garg, P., Chakraborty, S., Basu, I., Datta, S., Rajendran, K., Bhattacharya, T., Yamasaki, S., Bhattacharya, S. K., Takeda, Y., Balakrish Nair, G. and Ramamurthy, T. Expanding multiple antibiotic resistance among clinical strains of *Vibrio cholerae* isolated from 1992–7 in Calcutta, India 393
Garmory, H. S., Chanter, N., French, N. P., Bueschel, D., Songer, J. G. and Titball, R. W. Occurrence of *Clostridium perfringens* β2-toxin amongst animals, determined using genotyping and subtyping PCR assays, 61
Gay, C. C. *see* **Besser, T. E.**
Gay, J. M. *see* **Besser, T. E.**
Gill, A. B. *see* **Wilcox, M. H.**
Gitau, G. K., McDermott, J. J., Katende, J. M., O'Callaghan, C. J., Brown, R. N. and Perry, B. D. Differences in the epidemiology of theileriosis on smallholder dairy farms in contrasting agro-ecological and grazing strata of highland Kenya, 325
Godard, E. *see* **de Valk, H.**
Goldoft, M. *see* **Besser, T. E.**
Graham, D. Y. *see* **Yamaoka, Y.**
Green, K. *see* **Núñez, S.**
Griffin, P. M. *see* **Alterkruse, S. F.**
Grimont, F. *see* **Decludt, B.**
Grimont, F. *see* **de Valk, H.**
Grimont, Pad. *see* **Decludt, B.**
Grimont, P. *see* **de Valk, H.**
Groen, J. *see* **Nur, Y. A.**

Grohmann, G. *see* **Conaty, S.**
Gutierrez, O. *see* **Yamaoka, Y.**

Haeghebaert, S. *see* **de Valk, H.**
Hammond, R. *see* **Kelly, H. A.**
Hamouda, O. *see* **Hauri, A. M.**
Hancock, D. D. *see* **Besser, T. E.**
Hansen, E. T. *see* **Samuelsson, S.**
Harkin, M. A. *see* **Chapman, P. A.**
Harris, R. J., Storm, P. A., Lloyd, A., Arens, M. and Marmion, B. P. Long-term persistence of *Coxiella burnetii* in the host after primary Q fever, 543
Haspinall, L. *see* **Wilcox, M. H.**
Hauri, A. M., Ehrhard, I., Frank, U., Ammer, J., Fell, G., Hamouda, O. and Petersen, L. Serogroup C meningococcal disease outbreak associated with discotheque attendance during carnival, 69
Hawkey, P. *see* **Wilcox, M. H.**
Hazel, S. M., Bennett, M., Chantrey, J., Bown, K., Cavanagh, R., Jones, T. R., Baxby, D. and Begon, M. A longitudinal study of an endemic disease in its wildlife reservoir: cowpox and wild rodents, 551
Hedman, K. *see* **Paunio, M.**
Heinonen, O. P. *see* **Paunio, M.**
Heng, S. *see* **Ohshige, K.**
Henken, A. M. *see* **Nauta, M. J.**
Hilborn, E. D., Mshar, P. A., Fiorentino, T. R., Dembek, Z. F., Barrett, T. J., Howard, R. T. and Cartter, M. L. An outbreak of *Escherichia coli* O157:H7 infections and haemolytic uraemic syndrome associated with consumption of unpasteurized apple cider, 31
Hilse, R., Stoevesandt, J., Caugant, D. A., Claus, H., Frosch, M. and Vogel, U. Distribution of the meningococcal insertion sequence IS1301 in clonal lineages of *Neisseria meningitidis*, 337
Hor, L. B. *see* **Ohshige, K.**
Hou, L., Osei-Hyiaman, D., Zhang, Z., Wang, B., Yang, A. and Kano, K. Molecular characterization of *pncA* gene mutations in *Mycobacterium tuberculosis* clinical isolates from China, 227
Howard, R. T. *see* **Hilborn, E. D.**
Hoy, C. *see* **Wilcox, M. H.**
Hubert, B. *see* **Decludt, B.**
Husein, A. *see* **Davison, H. C.**
Hunt, D. *see* **Wehner, H.**
Hunter, P. R. *see* **Santaniello-Newton, A.**

Ida, O. *see* **Ikeda, K.**
Ikeda, K., Ida, O., Kimoto, K., Takatorige, T., Nakanishi, N. and Tatara, K. Predictors for the development of haemolytic uraemic syndrome with *Escherichia coli* O157:H7 infections: with focus on the day of illness, 343
Italian Salm-Net Working Group see Scuderi, G.
Ito, A. *see* **Ohshige, K.**
Iyer, L. *see* **Vadivelu, J.**

Japisson, E. *see* **Lyytikäinen, O.**
Jasir, A., Noorani, A., Mirsalehian, A. and Schalen, C. Isolation rates of *Streptococcus pyogenes* in patients with acute pharyngotonsillitis and among healthy school children in Iran, 47
Jensen, C. Ø. *see* **Sørensen, J. H.**
Jesudason, M. V., Balaji, V., Mukundan, U. and Thomson, C. J. Ecological study of *Vibrio cholerae* in Vellore, 201
Jeune, B. *see* **Samuelsson, S.**
Jin, L. *see* **Wehner, H.**
Johnson, P. D. R. *see* **Anderson, D.**
Johnson, W. *see* **Besser, T. E.**
Jones, T. R. *see* **Hazel, S. M.**

Kabouche, S. *see* **Arpin, C.**
Kano, K. *see* **Hou, L.**
Karamat, K. A. *see* **Shanahan, P. M. A.**
Kashima, K. *see* **Yamaoka, Y.**
Katende, J. M. *see* **Gitau, G. K.**
Kaufmann, M. E. *see* **Nourse, C.**
Keet, D. F. *see* **Bastos, A. D. S.**
Kelly, H. A., Siebert, D., Hammond, R., Leydon, J., Kiely, P. and Maskill, W. The age-specific prevalence of human parvovirus immunity in Victoria, Australia compared with other parts of the world, 449
Khakhria, R. *see* **Besser, T. E.**
Kiely, P. *see* **Kelly, H. A.**
Kim, J. G. *see* **Yamaoka, Y.**
Kimoto, K. *see* **Ikeda, K.**
Kist, M. J. and Freitag, S. Serovar specific risk factors and clinical features of *Salmonella enterica* ssp. *enterica* serovar Enteritidis: a study in South-West Germany, 383
Kitamura, K. *see* **Ohshige, K.**
Klein, J. P. *see* **Stauffer, F.**
Kodama, T. *see* **Yamaoka, Y.**
Koort, J. *see* **Lyytikäinen, O.**
Kraa, E. *see* **Conaty, S.**
Kshatriya, B. M. *see* **Vadivelu, J.**

la Ragione, R. M., Sayers, A. R. and Woodward, M. J. The role of fimbriae and flagella in the colonization, invasion and persistence of *Escherichia coli* O78:K80 in the day-old-chick model, 351
Leinikki, P. *see* **Paunio, M.**
Letrilliart, L. *see* **Yazdanpanah, Y.**
Leydon, J. *see* **Kelly, H. A.**
Lloyd, A. *see* **Harris, R. J.**
Logan, M. *see* **Wehner, H.**
Loirat, C. see Decludt, B.
Lozano, A. *see* **Trallero, G.**
Luckins, A. G. *see* **Davison, H. C.**
Lyytikäinen, O., Koort, J., Ward, L., Schildt, R., Ruutu, P., Japisson, E., Timonen, M. and Siitonen, A. Molecular epidemiology of an outbreak caused by *Salmonella enterica* serovar Newport in Finland and the United Kingdom, 185

McAnulty, J. M. *see* **Conaty, S.**
McDermott, J. J. *see* **Gitau, G. K.**
Mackay, D. K. J. *see* **Sørensen, J. H.**
Makristathis, A. *see* **Stauffer, F.**
Mariani-Kurkdjian, P. *see* **Decludt, B.**
Marks, P. J., Vipond, I. B., Carlisle, D., Deakin, D., Fey, R. E.

and Caul, E. O. Evidence for airborne transmission of Norwalk-like virus (NLV) in a hotel restaurant, 481
Marmion, B. P. *see* **Harris, R. J.**
Maskill, W. *see* **Kelly, H. A.**
Mathews, J. D. *see* **Carapetis, J. R.**
Merchant, J. C. *see* **Cooke, B. D.**
Messele, T. *see* **Cutts, F. T.**
Michael, E. *see* **Norman, R. A.**
Mirsalehian, A. *see* **Jasir, A.**
Mistchenko, A. S. *see* **Bilkis, M. D.**
Miyazaki, Y. *see* **Sato, K.**
Mizushima, S. *see* **Ohshige, K.**
Molle, I. *see* **Thulstrup, A. M.**
Moreno, A. *see* **Núñez, S.**
Morio, S. *see* **Ohshige, K.**
Morishita, T. *see* **Sato, K.**
Morris, R. *see* **Borrow, R.**
Morris, R. *see* **Sarangi, J.**
Morris, R. *see* **Wehner, H.**
Mossong, J. and Muller, C. P. Estimation of the basic reproduction number of measles during an outbreak in a partially vaccinated population, 273
Muharsini, S. *see* **Davison, H. C.**
Mukundan, U. *see* **Jesudason, M. V.**
Muller, C. P. *see* **Mossong, J.**
Murphy, H. *see* **Nourse, C.**
Mshar, P. A. *see* **Hilborn, E. D.**

Nagelkerde, N. J. D. *see* **de Melker, H. E.**
Nakajima, K. *see* **Sato, K.**
Nakanishi, N. *see* **Ikeda, K.**
Nardin, A. *see* **Cooke, B. D.**
Nauta, M. J., van de Giessen, A. W. and Henken, A. M. A model for evaluating intervention strategies to control salmonella in the poultry meat production chain, 365
Nichols, G. L. *see* **Rutter, M.**
Nigatu, W. *see* **Cutts, F. T.**
Niglio, T. *see* **Scuderi, G.**
Nobusawa, E. *see* **Sato, K.**
Nodelijk, G., de Jong, M. C. M., Van Nes, A., Vernooy, J. C. M., Van Leengoed, L. A. M. G., Pol, J. M. A. and Verheijden, J. H. M. Introduction, persistence and fade-out of porcine reproductive and respiratory syndrome virus in a Dutch breeding herd: a mathematical analysis, 173
Nokes, D. J. *see* **Cutts, F. T.**
Nokes, D. J. *see* **Wilson, J. N.**
Noorani, A. *see* **Jasir, A.**
Nordholm, G. E. *see* **Sacco, R. E.**
Norman, R. A., Chan, M. S., Srividya, A., Pani, S. P., Ramaiah, K. D., Vanamail, P., Michael, E., Das, P. K. and Bundy, D. A. P. EPIFIL: The development of an age-structured model for describing the transmission dynamics and control of lymphatic filariasis, 529
Nourse, C., Byrne, C., Murphy, H., Kaufmann, M. E., Clarke, A. and Butler, K. Eradication of vancomycin resistant *Enterococcus faecium* from a paediatric oncology unit and prevalence of colonization in hospitalized and community-based children, 53
Núñez, S., Moreno, A., Green, K. and Villar, J. The stethoscope in the emergency department: a vector of infection? 233
Nur, Y. A., Groen, J., Elmi, A. M., Ott, A. and Osterhaus, A. D. M. E. Prevalence of serum antibodies against bloodborne and sexually transmitted agents in selected groups in Somalia, 137

O'Callaghan, C. J. *see* **Gitau, G. K.**
Ohshige, K., Morio, S., Mizushima, S., Kitamura, K., Tajima, K., Ito, A., Suyama, A., Usuku, S., Saphonn, V., Heng, S., Hor, L. B., Tia, P. and Soda, K. Cross-sectional study on risk factors of HIV among female commercial sex workers in Cambodia, 143
Old, D. C., Chisholm, S. A., Crichton, P. B. and Taylor, A. Grouping of *Salmonella enterica* serotype Montevideo strains by ribotyping and IS*200* profiling, 375
Osata, M. S. *see* **Yamaoka, Y.**
Osei-Hyiaman, D. *see* **Hou, L.**
Osler, M. *see* **Samuelsson, S.**
Osterhaus, A. D. M. E. *see* **Nur, Y. A.**
Ott, A. *see* **Nur, Y. A.**

Pani, S. P. *see* **Norman, R. A.**
Partoutomo, S. *see* **Davison, H. C.**
Parnell, P. *see* **Wilcox, M. H.**
Paunio, M., Hedman, K., Davidkin, I., Valle, M., Heinonen, O. P., Leinikki, P., Salmi, A. and Peltola, H. Secondary measles vaccine failures identified by measurement of IgG avidity: high occurrence among teenagers vaccinated at a young age, 263
Peltola, H. *see* **Paunio, M.**
Pentland, L. *see* **Anderson, D.**
Perry, B. D. *see* **Gitau, G. K.**
Petersen, L. *see* **Hauri, A. M.**
Ple, S. *see* **de Valk, H.**
Pol, J. M. A. *see* **Nodelijk, G.**
Prieto, J. M. *see* **Espi, A.**
Pritchett, L. C. *see* **Besser, T. E.**
Puthucheary, S. D. *see* **Vadivelu, J.**

Quentin, C. *see* **Arpin, C.**
Quesnel, C. *see* **Arpin, C.**

Rae, P. *see* **Davison, H. C.**
Rajendran, K. *see* **Garg, P.**
Ramaiah, K. D. *see* **Norman, R. A.**
Ramamurthy, T. *see* **Garg, P.**
Ray, B. J. *see* **Alterkruse, S. F.**
Rebelo-de-Andrade, H. and Zambon, M. C. Different diagnostic methods for detection of influenza epidemics, 515
Register, K. B. *see* **Sacco, R. E.**
Renaudin, H. *see* **Cousin-Allery, A.**
Rice, D. H. *see* **Besser, T. E.**
Richmond, P. C. *see* **Borrow, R.**
Ridgway, D. The logic of causation and the risk of paralytic poliomyelitis for an American child, 113
Roberts, M. G. and Tobias, M. I. Predicting and preventing measles epidemics in New Zealand: application of a mathematical model, 279
Robinson, A. J. *see* **Cooke, B. D.**
Rogues, A. M. *see* **Arpin, C.**
Rutter, M., Nichols, G. L., Swan, A. and de Louvois, J. A survey

of the microbiological quality of private water supplies in England, 417
Ruutu, P. *see* **Lyytikäinen, O.**

Sacco, R. E., Register, K. B. and Nordholm, G. E. Restriction enzyme analysis and ribotyping distinguish *Bordetella avium* and *Bordetella hinzii* isolates, 83
Sadler, F. *see* **Borrow, R.**
Salmi, A. *see* **Paunio, M.**
Samuelsson, S., Hansen, E. T., Osler, M. and Jeune, B. Prevention of secondary cases of meningococcal disease in Denmark, 433
Santaniello-Newton, A. and Hunter, P. R. Management of an outbreak of meningococcal meningitis in a Sudanese refugee camp in Northern Uganda, 75
Saphonn, V. *see* **Ohshige, K.**
Sarangi, J., Cartwright, K., Stuart, J., Brookes, S., Morris, R. and Slack, M. Invasive *Haemophilus influenzae* disease in adults, 441
Sato, K., Morishita, T., Nobusawa, E., Suzuki, Y., Miyazaki, Y., Fukui, Y., Suzuki, S. and Nakajima, K. Surveillance of influenza viruses isolated from travellers at Nagoya International Airport, 507
Sawyer, S. *see* **Anderson, D.**
Sayers, A. R. *see* **la Ragione, R. M.**
Schalen, C. *see* **Jasir, A.**
Schildt, R. *see* **Lyytikäinen, O.**
Scuderi, G., Fantasia, M., Niglio, T. and the Italian Salm-Net Working Group. The antibiotic resistance patterns of *Salmonella* Typhi isolates in Italy, 1980–96, 17
Sepulveda, A. R. *see* **Yamaoka, Y.**
Shanahan, P. M. A., Karamat, K. A., Thomson, C. J. and Amyes, S. G. B. Characterization of multi-drug resistant *Salmonella typhi* isolated from Pakistan, 9
Siddons, C. A. *see* **Chapman, P. A.**
Siebert, D. *see* **Kelly, H. A.**
Siitonen, A. *see* **Lyytikäinen, O.**
Skov Jensen, J. *see* **Cousin-Allery, A.**
Slack, M. *see* **Sarangi, J.**
Smith, T. A. *see* **Stirnadel, H. A.**
Société de Néphrologie Pédiatrique *see* **Decludt, B.**
Soda, K. *see* **Ohshige, K.**
Songer, J. G. *see* **Garmory, H. S.**
Sørensen, H. T. *see* **Thulstrup, A. M.**
Sørensen, J. H., Mackay, D. K. J., Jensen, C. Ø. and Donaldson, A. I. An integrated model to predict the atmospheric spread of foot-and-mouth disease virus, 577
Srividya, A. *see* **Norman, R. A.**
Starr, M. *see* **Anderson, D.**
Stauffer, F., Makristathis, A., Klein, J. P., Barousch, W. and The Austrian Resistant Tuberculosis Study Group. Drug resistance rates of *Mycobacterium tuberculosis* strains in Austria between 1995 and 1998 and molecular typinhg of multidrug-resistant isolates, 523
Stirnadel, H. A., Beck, H.-P., Alpers, M. P. and Smith, T. A. Genetic analysis of IgG subclass responses against RESA and MSP2 of *Plasmodium falciparum* in adults in Papua New Guinea, 153
Stoevesandt, J. *see* **Hilse, R.**
Storm, P. A. *see* **Harris, R. J.**
Stuart, J. *see* **Sarangi, J.**
Stuart, J. *see* **Wehner, H.**
Suyama, A. *see* **Ohshige, K.**
Suzuki, S. *see* **Sato, K.**
Suzuki, Y. *see* **Sato, K.**
Svendsen, N. *see* **Thulstrup, A. M.**
Swan, A. *see* **Rutter, M.**

Takatorige, T. *see* **Ikeda, K.**
Takeda, Y. *see* **Garg, P.**
Tajima, K. *see* **Ohshige, K.**
Tatara, K. *see* **Ikeda, K.**
Taylor, A. *see* **Old, D. C.**
Tenorio, A. *see* **Trallero, G.**
Termorshuizen, F., Dorigo-Zetsma, J. W., de Melker, H. E., van den Hof, S. and Conyn-van Spaendonck, M. A. E. The prevalence of antibodies to hepatitis A virus and its determinants in The Netherlands: a population-based survey, 459
The Austrian Drug Resistant Tuberculosis Study Group *see* **Stauffer, F.**
Thompson, S. G. *see* **Alterkruse, S. F.**
Thomson, C. J. *see* **Jesudason, M. V.**
Thomson, C. J. *see* **Shanahan, P. M. A.**
Thomson, G. R. *see* **Bastos, A. D. S.**
Thrusfield, M. V. *see* **Davison, H. C.**
Thulstrup, A. M., Mølle, I., Svendsen, N. and Sørensen, H. T. Incidence and prognosis of tuberculosis in patients with cirrhosis of the liver. A Danish nationwide population based study, 221
Tia, P. *see* **Ohshige, K.**
Timonen, M. *see* **Lyytikäinen, O.**
Titball, R. W. *see* **Garmory, H. S.**
Tobias, M. I. *see* **Roberts, M. G.**
Trallero, G., Casas, I., Tenorio, A., Echevarria, J. E., Castellanos, A., Lozano, A. and Breña, P. P. Enteroviruses in Spain: virological and epidemiological studies over 10 years (1988–97), 497

Urquhart, K. A. *see* **Alberdi, M. P.**
Usuku, S. *see* **Ohshige, K.**

Vadivelu, J., Iyer, L., Kshatriya, B. M. and Puthucheary, S. D. Molecular evidence of clonality amongst *Vibrio cholerae* O1 biotype El Tor during an outbreak in Malaysia, 25
Vaillant, V. *see* **de Valk, H.**
Valle, M. *see* **Paunio, M.**
Vanamail, P. *see* **Norman, R. A.**
van de Giessen, A. W. *see* **Nauta, M. J.**
van den Hof, S. *see* **Termorshuizen, F.**
Van Leengoed, L. A. M. G. *see* **Nodelijk, G.**
Van Nes, A. *see* **Nodelijk, G.**
Verheijden, J. H. M. *see* **Nodelijk, G.**
Vernooy, J. C. M. *see* **Nodelijk, G.**
Villar, J. *see* **Núñez, S.**
Vipond, I. B. *see* **Marks, P. J.**
Vogel, U. *see* **Hilse, R.**

Walker, A. R. *see* **Alberdi, M. P.**
Wang, B. *see* **Hou, L.**

Ward, L. *see* **Lyytikäinen, O.**

Wehner, H., Morris, R., Logan, M., Hunt, D., Jin, L., Stuart, J. and Cartwright, K. A secondary school outbreak of mumps following the childhood immunization programme in England and Wales, 131

Wilcox, M. H., Fitzgerald, P., Freeman, J., Denton, M., Gill, A. B., Hoy, C., Parnell, P., Porter, C., Haspinall, L. and Hawkey, P. A five year outbreak of methicillin-susceptible *Staphylococcus aureus* phage type 53,85 in a regional neonatal unit, 37

Wilson, J. N., Nokes, D. J. and Carman, W. F. Predictions of the emergence of vaccine-resistant hepatitis B in The Gambia using a mathematical model, 295

Wilson, S. A. *see* **Alterkruse, S. F.**

Woodward, M. J. *see* **la Ragione, R. M.**

Yamaoka, Y., Osata, M. S., Sepulveda, A. R., Gutierrez, O., Figura, N., Kim, J. G., Kodama, T., Kashima, K. and Graham, D. Y. Molecular epidemiology of *Helicobacter pyrlori*: separation of *H. pylori* from East Asian and non-Asian countries, 91

Yamasaki, S. *see* **Garg, P.**

Yang, A. *see* **Hou, L.**

Yazdanpanah, Y., Beaugerie, L., Boëlle, P. Y., Letrilliart, L., Desenclos, J. C. and Flahault, A. Risk factors of acute diarrhoea in summer – a nation-wide French case-controlled study, 409

Zambon, M. C. *see* **Rebelo-de-Andrade, H.**

Zambon, M. *see* **Fleming, D. M.**

Zhang, Z. *see* **Hou, L.**

Epidemiol. Infect. (2000), **124**, 613–614. Printed in the United Kingdom © 2000 Cambridge University Press

Index of Subjects

Bloodborne, prevalence of serum antibodies against, and sexually transmitted agents in selected groups in Somalia, 137
Bordetella avium, restriction enzyme analysis and ribotyping distinguish, and *Bordetella hinzii* isolates, 83
Bordetella hinzii, restriction enzyme analysis and ribotyping distinguish *Bordetella avium* and, isolates, 83

***Clostridium perfringens* β 2-toxin**, occurrence of, amongst animals, determined using genotyping and subtyping PCR assays, 61
Cowpox, a longitudinal study of an endemic disease in its wildlife reservoir: and wild rodents, 551
Coxiella burnetti, long-term persistence of, in the host after primary Q fever, 543

Diarrhoea, risk factors of acute, in summer – a nation-wide French case-controlled study, 409

Ehrlichia phagocytophila, field evidence that roe deer (*Capreolus capreolus*) are a natural host for, 315
Enterococcus faecium, eradication of vancomycin resistant, from a paediatric oncology unit and prevalence of colonization in hospitalized and community-based children, 53
Enteroviruses in Spain: virological and epidemiological studies over 10 years (1988–97), 497
Escherichia coli, a one year study of, O157 in raw beef and lamb products, 207
Escherichia coli, haemolytic uraemic syndrome and Shiga toxin-producing, infection in children in France, 215
***Escherichia coli* O157:H7**, an outbreak of, infections and haemolytic uraemic syndrome associated with consumption of unpasteurized apple cider, 31
Escherichia coli, predictors for the development of haemolytic uraemic syndrome with, O157:H7 infections: with focus on the day of illness, 343
Escherichia coli, the role of fimbriae and flagella in the colonization, invasion and persistence of, O78:K80 in the day-old-chick model, 351

Filariasis. EPIFIL: The development of an age-structured model for describing the transmission dynamics and control of lymphatic, 529
Foot-and-mouth disease, an integrated model to predict the atmospheric spread of, virus, 577
Foot-and-mouth disease, natural transmission of, virus between African buffalo (*Syncerus caffer*) and impala (*Aepyceros melampus*) in the Kruger National Park, South Africa, 591

Haemophilus influenzae, invasive, disease in adults, 441
Helicobacter pylori, molecular epidemiology of: separation of *H. pylori* from East Asian and non-Asian countries, 91

Hepatitis A, a community outbreak of, in a religious community in Indiana: failure of immune serum globulin to prevent the spread of infection, 309
Hepatitis A in New South Wales, Australia, from consumption of oysters: the first reported outbreak, 121
Hepatitis A, the prevalence of antibodies to, virus and its determinants in The Netherlands: a population-based survey, 459
Hepatitis B, predictions of the emergence of vaccine-resistant, in The Gambia using a mathematical model, 295
HIV, cross-sectional study on risk factors of, among female commercial sex workers in Cambodia, 143

Influenza, different diagnostic methods for detection of, epidemics, 515
Influenza-like, population estimates of persons presenting to general practitioners with, illness, 1987–96: a study of the demography of influenza-like illness in sentinel practice networks in England and Wales, and in The Netherlands, 245
Influenza, surveillance of, viruses isolated from travellers at Nagoya International Airport, 507
Isoniazid, attentional function in secondary school students receiving, prophylaxis for tuberculosis infection, 97

Klebsiella pneumoniae, prospective survey of colonization and infection caused by SHV-4 producing, in a neurosurgical intensive care unit, 401

Leptospiral, serological prevalence to six, serovars in cattle in Asurias (Northern Spain), 599

Measles, estimation of the basic reproduction number of, during an outbreak in a partially vaccinated population, 273
Measles, predicting and preventing, epidemics in New Zealand: application of a mathematical model, 279
Measles resurgence in Argentina: 1997–8 outbreak, 289
Measles, secondary, vaccine failures identified by measurement of IgG avidity: high occurrence among teenagers vaccinated at a young age, 263
Meningococcal, induction of immunological memory in UK infants by a, A/C conjugate vaccine, 427
Meningococcal, management of an outbreak of, meningitis in a Sudanese refugee camp in Northern Uganda, 75
Meningococcal, prevention of secondary cases of, disease in Denmark, 433
Meningococcal, serogroup C, disease outbreak associated with discotheque attendance during carnival, 69
Mumps, a secondary school outbreak of, following the childhood immunization programme in England and Wales, 131

Mycobacterium tuberculosis, drug resistance rates of, strains in Austria between 1995 and 1998 and molecular typing of multidrug-resistant isolates, 523

Mycobacterium tuberculosis, molecular characterization of *pncA* gene mutations in, clinical isolates from China, 227

Mycoplasma pneumoniae, molecular typing of, strains by PCR-based methods and pulsed-field gel electrophoresis. Application to French and Danish isolates, 103

Neisseria meningitidis, distribution of the meningococcal insertion sequence IS*1301* in clonal lineages of, 337

Norwalk-like virus, evidence for airborne transmission of, (NLV) in a hotel restaurant, 481

Parvovirus, the age-specific prevalence of human, immunity in Victoria, Australia compared with other parts of the world, 449

Plasmodium falciparum, genetic analysis of IgG subclass responses against RESA and MSP2 of, in adults in Papua New Guinea, 153

Poliomyelitis, the logic of causation and the risk of paralytic, for an American child, 113

Porcine reproductive and respiratory syndrome virus, introduction, persistence and fade-out of, in a Dutch breeding herd: a mathematical analysis, 173

Rabbit haemorrhagic disease, use of ELISAs in field studies of, (RHD) in Australia, 563

Rheumatic fever, cumulative incidence of, in an endemic region: a guide to the susceptibility of the population? 239

Rubella, sero-epidemiology of, in the rural population of Addis Ababa, Ethiopia, 467

Salmonella, a model for evaluating intervention strategies to control, in the poultry meat production chain, 365

Salmonella enterica, grouping of, serotype Montevideo strains by ribotyping and IS*200* profiling, 375

Salmonella enterica, molecular epidemiology of an outbreak caused by, serovar Newport in Finland and the United Kingdom, 185

Salmonella enterica serotype Typhimurium, a community-wide outbreak of, infection associated with eating a raw milk soft cheese in France, 1

Salmonella enterica, serovar specific risk factors and clinical features of, ssp. *enterica* serovar Enteritidis: a study in South-West Germany, 383

***Salmonella* Typhi**, the antibiotic resistance patterns of, isolates in Italy, 1980–96, 17

Salmonella typhi, characterization of multi-drug resistant, isolated from Pakistan, 9

***Salmonella* Typhimurium**, multiresistant, DT104 infections of humans and domestic animals in the Pacific Northwest of the United States, 193

Sexually transmitted, prevalence of serum antibodies against bloodborne and, agents in selected groups in Somalia, 137

Staphylococcus aureus, a five year outbreak of methicillin-susceptible, phage type 53,85 in a regional neonatal unit, 37

Stethoscope, the, in the emergency department: a vector of infection? 233

Streptococcus pyogenes, isolation rates of, in patients with acute pharyngotonsillitis and among healthy school children in Iran, 47

Theileriosis, differences in the epidemiology of, on smallholder dairy farms in contrasting agro-ecological and grazing strata of highland Kenya, 325

Trypanosoma evansi, the occurrence of, in buffaloes in Indonesia, estimated using various diagnostic tests, 163

Tuberculosis, attentional function in secondary school students receiving isoniazid prophylaxis for, infection, 97

Tuberculosis, incidence and prognosis of, in patients with cirrhosis of the liver. A Danish nationwide population based study, 221

Vaccine-preventable, non-participation in a population-based seroprevalence study of, diseases, 255

Vibrio cholerae, ecological study of, in Vellore, 201

Vibrio cholerae, expanding multiple antibiotic resistance among clinical strains of, isolated from 1992–7 in Calcutta, 293

Vibrio cholerae, molecular evidence of clonality amongst, O1 biotype El Tor during an outbreak in Malaysia, 25

Vibrio gastroenteritis in the US Gulf of Mexico region: the role of raw oysters, 489

Water, a survey of the microbiological quality of private, supplies in England, 417